

ITEM NUMBER : SHIPA5W-40SNCF**PRODUCT DESCRIPTION**

It's a synthetic engine oil created to ensure safe and long-lasting performance for both gasoline and diesel vehicles using the latest technology. Made with high viscosity base oils and advanced additives, the formula offers excellent engine protection and fuel efficiency. It's suitable for gasoline and diesel engines in passenger cars and light commercial vehicles. It provides great protection and lubrication, even in tough conditions.

KEY FEATURES AND CUSTOMER BENEFITS

- Keeps performing well due to its strong thermal and oxidation stability, even during the longest oil change intervals recommended by vehicle manufacturers.
- Works great in all weather conditions because of its high viscosity index.
- Protects the engine from wear in cold weather by quickly lubricating engine parts at start-up, thanks to its excellent viscosity.
- Keeps engine parts clean with the help of detergent and dispersant additives in the oil.
- Lowers oil consumption due to its low volatility, helping to reduce hydrocarbon pollution.

APPROVALS

- API SN/CF
- ACEA A3/B4
- MB 229.3, A40
- VW 502 00/505 00
- RN0700/0710
- Dexos I Gen 2

KEY PROPERTIES AND SPECIFICATIONS

Grade	SAE 5W-40
Pour Point, °C, ASTM D97	-33
Flash Point, Cleveland Open Cup, °C, ASTM D92	218
Kinematic Viscosity @ 40 C, mm ² /s, ASTM D445	77
Kinematic Viscosity @ 100 C, mm ² /s, ASTM D445	12.8-16.3
Density @ 15 C, g/ml, ASTM D4052	0,872
Viscosity Index, ASTM D2270	150

The listed key properties are based on production tolerances and are not a specification. Variations that don't affect performance may occur during manufacturing and blending. Information is subject to change without notice.

STORAGE

It should be kept away from direct sunlight and rain. The packages must be stored in a sealed condition, preferably under a shelter or in an indoor space. The ideal storage temperature range is between (+5)°C and (+40)°C.

HEALTH & SAFETY

When used correctly for its intended purpose and with proper personal hygiene practices, this product is not expected to pose any major health or safety risks. For more detailed information, please refer to the Material Safety Data Sheet (MSDS), which can be obtained upon request from your local sales office.

CAUTION

Avoid contact with skin and eyes. If contact occurs, rinse thoroughly. Do not ingest. If swallowed, seek medical attention immediately.

PROTECT THE ENVIRONMENT

Dispose of used oil at an authorized collection center. Follow local regulations. Do not release into drains, soil, or water.

You can always contact our Technical Help Desk engineers on lubricants and services related questions:
info@shindooil.com